



**LEADERS IN
HoReCa Industry**



About us

Cuisinec Hospitality is India's leading HoReCa (Hotel, Restaurant and Catering) supplier. We ensure that we make your shopping experience easy and informative, so that you make wise choices for your investment.



We offer complete design services for restaurants, commercial kitchens and bars. From front of house to the most complex kitchen design requirements, equipment installation, and foodservice supplies fulfilment, our staff provides turnkey solutions for the HoReCa



SHOW ROOM

We started with a 200sq Ft store and now we have the largest HORECA store in South India. Cuisinec is a one-stop-shop for HORECA supplies with 20,000Sq.ft of showroom space and with more than 13000 products available exclusively for you



Casserole Low/Cook Pot Low



Casserole Medium/Cook Pot Medium



ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Pcs/Ctn	CBM
7229L/24	3.5	240	70	0.8 / 5 / 0.8	1	0.008
7229L/28	5.0	280	70	0.8 / 5 / 0.8	1	0.011
7229L/32	6.0	320	70	0.8 / 5 / 0.8	1	0.014
7229L/36	8.0	360	70	0.8 / 5 / 0.8	1	0.017
7229L/40	10.0	400	70	0.9 / 5 / 0.8	1	0.021
7229L/45	16.0	450	70	1.0 / 5 / 0.8	1	0.030
7229L/50	20.0	500	70	1.0 / 5 / 0.8	1	0.036

ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Pcs/Ctn	CBM
7229M/20	3.5	200	120	0.7 / 5 / 0.7	6	0.065
7229M/22	4.5	220	130	0.7 / 5 / 0.7	6	0.082
7229M/24	6.0	240	140	0.7 / 5 / 0.7	6	0.087
7229M/26	7.5	260	150	0.7 / 5 / 0.7	6	0.107
7229M/28	10.0	280	150	0.8 / 5 / 0.8	1	0.018
7229M/32	15.0	320	180	0.8 / 5 / 0.8	1	0.025
7229M/36	20.0	360	200	0.9 / 5 / 0.8	1	0.034
7229M/40	28.0	400	220	0.9 / 5 / 0.8	1	0.046
7229M/45	40.0	450	250	1.0 / 5 / 0.8	1	0.063
7229M/50	53.0	500	270	1.2 / 5 / 0.8	1	0.082
7229M/55*	71.0	550	300	1.2 / 5 / 0.8	1	0.106
7229M/60*	93.0	600	330	1.2 / 5 / 0.8	1	0.133

* Not recommended for induction

Casserole High / Cook Pot High



Stock Pot / Cook Pot Full



ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Pcs/Ctn	CBM	ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Pcs/Ctn	CBM
7229H/28	13.0	280	210	0.8 / 5 / 0.8	1	0.024	7229S/20	6.0	200	200	0.7 / 5 / 0.7	1	0.014
7229H/32	20.0	320	240	0.8 / 5 / 0.8	1	0.033	7229S/22	8.5	220	220	0.7 / 5 / 0.7	1	0.017
7229H/36	28.0	360	270	0.9 / 5 / 0.8	1	0.044	7229S/24	10.0	240	240	0.7 / 5 / 0.7	1	0.021
7229H/40	38.0	400	300	0.9 / 5 / 0.8	1	0.062	7229S/26	14.0	260	260	0.7 / 5 / 0.7	1	0.025
7229H/45	56.0	450	340	1.0 / 5 / 0.8	1	0.087	7229S/28	17.0	280	280	0.8 / 5 / 0.8	1	0.030
7229H/50	75.0	500	380	1.2 / 5 / 0.8	1	0.114	7229S/32	26.0	320	320	0.8 / 5 / 0.8	1	0.043
7229H/55*	100.0	550	420	1.2 / 5 / 0.8	1	0.151	7229S/36	37.0	360	360	1.0 / 5 / 0.8	1	0.060
7229H/60*	130.0	600	460	1.2 / 5 / 0.8	1	0.191	7229S/40	50.0	400	400	1.0 / 5 / 0.8	1	0.080
							7229S/45	72.0	450	450	1.2 / 5 / 0.8	1	0.110
							7229S/50	98.0	500	500	1.2 / 5 / 0.8	1	0.148
							7229S/55*	130.0	550	550	1.2 / 5 / 0.8	1	0.194
							7229S/60*	170.0	600	600	1.2 / 5 / 0.8	1	0.248

* Not recommended for induction

*Casserole Medium/
Cook Pot Medium
with Lock*



Casserole Medium / Cook Pot Medium – with Lock

ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Pcs/Ctn	CBM
7229M/L/36	20	360	200	0.9 / 5 / 0.8	1	0.039
7229M/L/40	28	400	220	0.9 / 5 / 0.8	1	0.046
7229M/L/45	40	450	250	1.0 / 5 / 0.8	1	0.063

*Casserole High/
Cook Pot High
with Lock*

Stock Pot Cook Pot Full - with Lock



ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Pcs/Ctn	CBM
7229S/L/36	37	360	360	1.0 / 5 / 0.8	1	0.064
7229S/L/40	50	400	400	1.0 / 5 / 0.8	1	0.087
7229S/L/45	72	450	450	1.2 / 5 / 0.8	1	0.119

Casserole High / Cook Pot High – with Lock

ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Pcs/Ctn	CBM
7229H/L/36	28	360	270	0.9 / 5 / 0.8	1	0.044
7229H/L/40	38	400	300	0.9 / 5 / 0.8	1	0.062
7229H/L/45	56	450	340	1.0 / 5 / 0.8	1	0.087

Cook Pot / Steamer with Strainer



Strainer

Colander



ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Dia(mm)	Height(mm)	ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Pcs/Ctn	CBM
2815/12	10.0	280	150	STEAMER SIZE	280	120	7233/28	4.0	280	140	0.6	24	0.065
2815/17	10.0	280	150		280	170	7233/32	7.0	320	165	0.7	12	0.058
3218/12	15.0	320	180		320	120	7233/36	10.0	360	185	0.7	12	0.067
3218/15	15.0	320	180		320	150	7233/40	14.0	400	205	0.7	12	0.088
3218/19	15.0	320	180		320	190	7233/45	20.0	450	225	0.7	6	0.076
3620/12	20.0	360	200	STRAINER SIZE	360	120	7233/50	25.0	500	245	0.8	6	0.105
3620/17	20.0	360	200		360	170	7233/65	40.0	650	285	0.9	3	0.186
3620/22	20.0	360	200		360	220							
4022/12	28.0	400	220		400	120							
4022/20	28.0	400	220		400	200							

Frying Pan



**with Helper Handle*



Frying Pan (Non - Stick Coated)



**with Helper Handle*



ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Pcs/Ctn	CBM	ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Pcs/Ctn	CBM
7231/FP/20	1.250	200	40	0.8 / 5 / 0.8	12	0.076	7232/FP/20	1.250	200	40	0.8 / 5 / 0.8	12	0.076
7231/FP/22		220	40	0.8 / 5 / 0.8	6	0.049	7232/FP/22		220	40	0.8 / 5 / 0.8	6	0.049
7231/FP/24	2.000	240	45	0.8 / 5 / 0.8	6	0.053	7232/FP/24	2.000	240	45	0.8 / 5 / 0.8	6	0.053
7231/FP/26	2.500	260	50	0.8 / 5 / 0.8	5	0.054	7232/FP/26	2.500	260	50	0.8 / 5 / 0.8	5	0.053
7231/FP/28	3.000	280	50	0.8 / 5 / 0.8	5	0.061	7232/FP/28	3.000	280	50	0.8 / 5 / 0.8	5	0.061
7231/FP/30		300	50	0.8 / 5 / 0.8	5	0.078	7232/FP/30		300	50	0.8 / 5 / 0.8	5	0.078
7231/FP/32	3.750	320	55	0.8 / 5 / 0.8	5	0.081	7232/FP/32	3.750	320	55	0.8 / 5 / 0.8	5	0.081
7231/FP/36*		360	55	1.0 / 5 / 0.8	5	0.109	7232/FP/36*		360	55	1.0 / 5 / 0.8	5	0.109

Conical Pan



Sauce Pan



ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Pcs/Ctn	CBM	ITEM NO	Capacity (Lt)	Dia(mm)	Height(mm)	Thickness (mm)	Pcs/Ctn	CBM
7230/CP/16	1.000	160	60	0.8 / 5 / 0.8	6	0.032	7230/SP/16	1.900	160	95	0.8 / 5 / 0.8	6	0.048
7230/CP/20	1.750	200	65	0.8 / 5 / 0.8	6	0.047	7230/SP/20	3.300	200	105	0.8 / 5 / 0.8	6	0.073
7230/CP/24	3.000	240	75	0.8 / 5 / 0.8	6	0.068	7230/SP/24	5.000	240	110	0.8 / 5 / 0.8	4	0.063
							7230/SP/26	7.500	260	150	0.7 / 5 / 0.7	1	0.025
							7230/SP/28	10.000	280	150	0.8 / 5 / 0.8	1	0.028
							7230/SP/32	15.000	320	180	0.8 / 5 / 0.8	1	0.039

Electric Deep Fryer (Double Pan)



Electric Deep Fryer (Single Pan)



ITEM NO	LxWxH(mm)	Oil Volume @Max(Lt)	Pan Capacity(Lt)	Pcs/Ctn	CBM
111405	420x397x310	2 x 3	2 x 5	1	0.117
111401	420x545x310	2 x 5	2 x 8	1	0.151
111403	420x545x360	2 x 8	2 x 11	1	0.173

ITEM NO	LxWxH(mm)	Oil Volume @Max(Lt)	Pan Capacity(Lt)	Pcs/Ctn	CBM
111404	420x184x310	3	5	1	0.061
111400	420x273x310	5	8	1	0.082
111402	420x273x360	8	11	1	0.089

Electrical Specification: 220-240v AC, 15A (Single phase), 3000W x 2

Electrical Specification: 220-240v AC, 15A (Single phase), 3000W



Electrical Steamer



Item No	Capacity (Lt)	Pcs/Ctn	CBM
220305*	4.00	4	0.139
220306	10.00	2	0.177
220307	12.00	2	0.177

**Also Available with Glass Lid*

Electrical Specification: 220305 : 220-240v AC, 15A (Single phase), 2400W
 220306 & 220307 : 220-240v AC, 15A (Single phase), 3000W

Buffet Ware


Take your food display and presentation to a whole new level with our collection of premium buffet ware.

The range includes mirror finished chafing dishes, beverage dispensers, and soup kettles that come in a variety of shapes, sizes, and designs.

Our chafing dishes and soup kettles are ideal for parties, catering events, and restaurants where large portions of food need to be presented and kept warm for longer durations.

The beverage dispensers are perfect for storing and pouring out large volumes of hot or cold beverage at big-scale dining setups.

Ergonomic design ensures our buffet ware is easy to handle and clean, while their durable finish offers a long-lasting appeal.



Full Roll Top (Big) with Soft Roll - SS Leg



Full Roll Top (Small) with Soft Roll - Casting Leg



ITEM NO	PAN SIZE	LxWxH (MM)*	PCS/CTN	CBM	ITEM NO	PAN SIZE	LxWxH (MM)*	PCS/CTN	CBM
251001	FULL	750x480x450	1	0.170	251010	FULL	700x480x440	1	0.134
251002	1/2	750x480x450	1	0.170	251011	1/2	700x480x440	1	0.134
251003	1/3	750x480x450	1	0.170	251012	1/3	700x480x440	1	0.134

Stackable

** Dimensions inclusive of side and lid handles*

Round Chaffer



Ellipse Chaffer

NEW



ITEM NO	PAN SIZE	LxWxH (MM)*	PCS/CTN	CBM	ITEM NO	CAPACITY (ML)	LxWxH (MM)*	PCS/CTN	CBM
211001	4000	330 x 250	4	0.124	211007	7000	585x525x345	1	0.132
211002	5000	330 x 275	4	0.138					
211003	7500	390 x 280	4	0.204					
211004*	4000	330 x 250	4	0.124					
211005*	5000	330 x 275	4	0.138					
211006*	7500	390 x 280	4	0.204					

Leg Type: Stainless steel

* With Glass lid

* Dimensions inclusive of side and lid handle

Economy



Economy 1/2



ITEM NO	LEG TYPE	LxWxH (MM)*	PCS/CTN	CBM	ITEM NO	LEG TYPE	LxWxH (MM)*	PCS/CTN	CBM
221001	STAINLESS STEEL	600x460x340	1	0.063	221002	STAINLESS STEEL	600x460x340	1	0.063

Pan Size: Full

Pan Size: 1/2

* Dimensions inclusive of side and lid holder stand

Economy 1/3



ITEM NO	LEG TYPE	LxWxH (MM)*	PCS/CTN	CBM
221002	STAINLESS STEEL	600x460x340	1	0.063

Pan Size: 1/3

** Dimensions inclusive of side and lid holder stand*

Milk Can



ITEM NO	CAPACITY (LT)	PCS/CTN	CBM
9227M/2*	2.00		
9227M/3*	3.00	6	0.054
9227M/4*	4.00	6	
9227M/5*	5.00	6	0.075
9227M/6*	6.00		
9227M/7*	7.00		
9227M/8*	8.00		
9227M/9*	9.00		
9227M/10*	10.00	1	0.200
9227M/12*	12.00	1	
9227M/15*	15.00	1	

** Also available without tap*

Hot/Cold Dispenser (with Fuel Plate)



ITEM NO	CAPACITY (LT)	PCS/CTN	CBM
9227HC/5	5.00	6	0.138

Hot/Cold Dispenser (with Heater Plate)



ITEM NO	CAPACITY (LT)	PCS/CTN	CBM
111802	5.00	4	0.157
111803	10.00	4	0.168

Cold Dispenser



ITEM NO	Capacity (Lt)	Pcs/Ctn	CBM
9227C/5	5.00	4	0.193

Soup Urn



ITEM NO	Capacity (Lt)	Pcs/Ctn	CBM
111702	7.00	1	0.043

Liquid Warmer Plate



Chocolate Melter

NEW



ITEM NO	DESCRIPTION	Pcs/Ctn	CBM	Item No	WxHxD(mm)	Chocolate Volume of Pan	Pcs/Ctn	CBM
111609	DOUBLE	6	0.090	111421	380x230x440	2x5kg	1	
111610	SINGLE	10	0.045					

Electrical Specification: 111609: 220-240v AC, 6A (Single phase), 400W
111610: 220-240v AC, 6A (Single phase), 200W

Electrical Specification: 220-240v AC, 15A (Single phase), 500W

NEW

Food Warmer



Conveyor Toaster



Item No	WxHxD(mm)	Pcs/Ctn	CBM
111411 (DOUBLE)	700 x 680 x 430	1	0.10
111412 (SINGLE)	575 x 673 x 379	1	0.07

Item No	WxHxD(mm)	Pcs/Ctn	CBM
111562	700 x 680 x 430	1	

Electrical Specification: 111411: 220-240v AC, 6A (Single phase), 1000W
111412: 220-240v AC, 6A (Single phase), 500W

Electrical Specification: 220-240v AC, 6A (Single phase), 1300W



Hot Water Dispenser



Insulated Hot Water Dispenser



ITEM NO	CAPACITY (Gallon)	CAPACITY(LT)	PCS/CTN	CBM
111101	1	4.50	2	0.064
111102	2	9.00	2	0.086
111104	4	18.00	2	0.142
111106	6	27.00	2	0.175
111109	9	40.00	2	0.240

Fill Type: Manual
 Fill Temperature: Normal
 Dispensing Options: Hot Water

ITEM NO	CAPACITY (Gallon)	CAPACITY(LT)	PCS/CTN	CBM
111201	1	4.50	1	0.031
111202	2	9.00	1	0.041
111204	4	18.00	1	0.068
111206	6	27.00	1	0.086
111209	9	40.00	1	0.129

Electricity Saver - PUF Insulation
 Fill Type: Manual
 Fill Temperature: Normal
 Dispensing Options: Hot Water



Hot Liquid Dispenser



ITEM NO	CAPACITY (LT)	PCS/CTN	CBM
111300	5.00	1	0.054
111312	12.00	1	0.083
111320	20.00	1	0.107
111330	30.00	1	0.131
111303	5.00	1	0.054
111315	12.00	1	0.083
111314	20.00	1	0.107
111311	30.00	1	0.131

Fill Type: Manual

Fill Temperature: Normal

Dispensing Options: Hot Milk, Hot Water

Electrical Specification: 111303: 220-240v AC, 15A (Single phase), 2400W
 111300, 111312, 111320, 111330, 111315, 111314, 111311:
 220-240v AC, 15A (Single phase), 3000W

Insulated Hot Liquid Dispenser



ITEM NO	CAPACITY (LT)	PCS/CTN	CBM
111600	5.00	1	0.062
111612	12.00	1	0.091
111620	20.00	1	0.113
111630	30.00	1	0.139
111613	5.00	1	0.062
111614	12.00	1	0.091
111621	20.00	1	0.113
111631	30.00	1	0.139

Fill Type: Manual

Fill Temperature: Normal

Electricity Saver - PUF Insulation Dispensing Options: Hot Milk, Hot Water

Electrical Specification: 111613: 220-240v AC, 15A(Single phase), 2400W
 111600, 111612, 111620, 111630, 111614, 111621, 111631:
 220-240v AC, 15A (Single phase), 3000W



Automatic Hot Water Dispenser



ITEM NO	CAPACITY (LT)	WxHxD (MM)	PCS/CTN	CBM
111550	10	188x520x550	1	0.100
111551	20	217x645x575	1	0.122

Fill Type: Automatic
 Fill Temperature: Normal
 Dispensing Options: Hot Water



Automatic Hot Liquid / Karak Chai Dispenser



Easy to Clean
 Brewing Basket
 (For Tea Brewing)

ITEM NO	CAPACITY (LT)	WxHxD (MM)	PCS/CTN	CBM	
111541	5	450x605x435	1	0.152	
111546	12	505x702x480	1	0.217	
111556	} WITH MESH	5	450x605x435	1	0.152
111559		12	505x702x480	1	0.217
111555	} WITH MESH & STIRRER	5	450x605x435	1	0.152
111618		12	505x702x480	1	0.217

Fill Type: Automatic
 Fill Temperature: Normal
 Dispensing Options: Hot Milk, Hot Water



Tea Filter with Warmer Plate



Easy to Clean
Brewing Basket

ITEM NO	CAPACITY (LT)	PCS/CTN	CBM
---------	---------------	---------	-----

111505	3.00	6	0.118
111506	5.00	6	0.178

Fill Type: Manual

Fill Temperature: Boiling Hot

Dispensing Options: Black Tea

Electrical Specification: 220-240v AC, 15A (Single phase), 2400W

Karak Chai Brewer



Easy to Clean
Brewing Basket



ITEM NO	CAPACITY (LT)	PCS/CTN	CBM
---------	---------------	---------	-----

111301	5	1	0.058
111313	12	1	0.089
111601	5	1	0.068
111605	12	1	0.106
111304	5	1	0.058
111316	12	1	0.089
111615	5	1	0.068
111616	12	1	0.106

Fill Type: Manual

Fill Temperature: Normal

Dispensing Options: Karak Chai, Hot Water

Electrical Specification: 111301, 111313, 111601, 111605, 111316, 111616:
220-240v AC, 15A(Single phase),3000W
111304, 111615: 220-240v AC, 15A (Single phase), 2400W



Karak Chai Brewer with Timer



*Easy to Clean
Brewing Basket*

Karak Chai Brewer with Timer (Non-Insulated)



*Easy to Clean
Brewing Basket*

ITEM NO	CAPACITY(LT)	WxHxD (MM)	PCS/CTN	CBM
111513	5	260x500x430	1	0.119
111514	10	307x540x460	1	0.154

*Fill Type: Manual
Fill Temperature: Normal
Dispensing Options: Karak Chai / Hot Water*

ITEM NO	CAPACITY(LT)	WxHxD (MM)	PCS/CTN	CBM
111563	5	255x530x350	1	
111564	10		1	

*Fill Type: Manual
Fill Temperature: Normal
Dispensing Options: Karak Chai / Hot Water*



*Hot Liquid / Karak Chai
Dispenser with Counter*



*Easy to Clean
Brewing Basket*

*Karak Chai Brewer
with Automatic Dispensing*



*Easy to Clean
Brewing Basket*

ITEM NO	CAPACITY(LT)	WxHxD (MM)	PCS/CTN	CBM	ITEM NO	CAPACITY(LT)	WxHxD (MM)	PCS/CTN	CBM
111549	5	270x765x480	1		111512	5	525x720x450	1	0.248
111557	5	270x765x480	1						

(WITH TEA MESH)

*Fill Type: Manual
Fill Temperature: Normal
Dispensing Options: Karak Chai / Hot Water*

*Fill Type: Automatic
Fill Temperature: Normal
Dispensing Options: Karak Chai, Hot Milk, Hot Water*

Electrical Specification: 220-240v AC, 15A (Single phase), 2400W

Electrical Specification: 220-240v AC, 15A (Single phase), 3000W



Coffee Filter with Warmer Plate



ITEM NO	CAPACITY(LT)	PCS/CTN	CBM
111503	3.00	6	0.118
111504	5.00	6	0.178

Fill Type: Manual
Fill Temperature: Boiling Hot
Dispensing Options: Black Coffee

Insulated Coffee Filter



ITEM NO	CAPACITY(LT)	PCS/CTN	CBM
111509	3.00	1	0.146

Fill Type: Manual
Fill Temperature: Boiling Hot
Dispensing Options: Black Coffee



Filter Coffee Brewer



*Easy to Clean
Brewing Basket*



*Easy to Clean
Brewing Basket*

ITEM NO	CAPACITY (LT)	WxHxD (MM)	PCS/CTN	CBM
111539	2	200x480x425	1	0.095
111500	2	250x560x425	1	0.134
111502	1	202x420x365	1	0.057
111561	5	335x580x580	1	
111508	2	260x455x485	1	

Fill Type: Manual

Fill Temperature: Normal

Dispensing Options: Black Coffee

Electrical Specification: 220-240v AC, 15A (Single phase), 2400W



Automatic Decoction Dispenser



Filter Coffee Brewer with Manual Dispensing



*Easy to Clean
Brewing Basket*

ITEM NO	CAPACITY (LT)	WxHxD (MM)	PCS/CTN	CBM	ITEM NO	CAPACITY (LT)	WxHxD (MM)	PCS/CTN	CBM
111560	5	284x358x448	1		111522	5	560x515x540	1	0.197

*Fill Type: Manual
Fill Temperature: Normal/Hot
Dispensing Options: Decoction*

*Fill Type: Automatic
Fill Temperature: Normal
Dispensing Options: Coffee, Hot Milk, Hot Water.*

Electrical Specification: 220-240v AC, 6A (Single phase), 200W

Electrical Specification: 220-240v AC, 15A (Single phase), 3000W



*Filter Coffee Brewer
with Automatic Dispensing*



*Easy to Clean
Brewing Basket*

ITEM NO	CAPACITY (LT)	WxHxD (MM)	PCS/CTN	CBM
111523	5	530x600x455	1	0.243
111521	12	630x735x530	1	0.388

Fill Type: Automatic

Fill Temperature: Normal

Dispensing Options: Coffee, Hot Milk, Hot Water

Electrical Specification: 220-240v AC, 15A (Single phase), 3000W



*Black Tea & Filter Coffee Brewer
(Manual Fill)*



ITEM NO	CAPACITY (LT)	WxHxD (MM)	PCS/CTN	CBM
111534	2	560x500x330	1	0.149

Fill Type: Manual

Fill Temperature: Normal

Dispensing Options: Black Coffee, Black Tea

Electrical Specification: 220-240v AC, 15A (Single phase), 2700W



Karak Chai & Filter Coffee Brewer with Automatic Dispensing



ITEM NO	CAPACITY (LT)	WxHxD (MM)	PCS/CTN	CBM
111530	5	530x600x455	1	0.276
111603	3	247x395x350		
111531	12	630x735x530	1	0.545
111608	7	247x510x350		

Fill Type: Automatic For Coffee / Manual For Karak Chai
Fill Temperature: Normal
Dispensing Options: Coffee, Karak Chai, Hot Milk, Hot Water

Electrical Specification: 111530, 111531: 220-240v AC, 15A (Single phase), 3000W
 111603, 111608: 220-240v AC, 15A (Single phase), 2400W

Fully Automatic Karak Chai & Filter Coffee Machine



ITEM NO	CAPACITY (LT)	WxHxD (MM)	PCS/CTN	CBM
111533	5	515x720x655	1	

Fill Type: Automatic
Fill Temperature: Normal
*Dispensing Options: Coffee, Black Coffee,
 Karak Chai, Black Tea, Hot Milk, Hot Water*

Electrical Specification: 220-240v AC, 15A (Single phase), 3000W



Samovar



ITEM NO	CAPACITY(LT)	PCS/CTN	CBM
111703	5.00	1	0.042

Fill Type: Manual
Fill Temperature: Normal
Dispensing Options: Tea, Hot Water



Coffee Percolator



ITEM NO	CAPACITY(LT)		POWER(W)	PACKAGE	CBM
	Nominal	Actual			
111511	10	12	1650	1	0.064

Fill Type: Manual
Fill Temperature: Normal
Dispensing Options: Black Coffee



Steamer

NEW



ITEM NO	CAPACITY (LT)	WxHxD (MM)	PCS/CTN	CBM
111554	1	158x360x450	1	0.062

*Fill Type: Manual
Fill Temp: Normal*



*Hot Liquid Dispenser
(Non - Electric)*



ITEM NO	CAPACITY (LT)	PCS/CTN	CBM
9230/5	5.00	1	0.033
9230/10	10.00	1	0.060

*Fill Type: Manual
Fill Temperature: Normal
Dispensing Options: Hot Milk, Hot Water.*

Food Storage & Transport

Our excellent range of commercial food storage and transport products includes drums, canisters, and insulated carrying pots of various capacities to meet your low- or high-volume needs. Made from 100% food-grade stainless steel, these products are built for heavy-duty use in commercial establishments.



Storage Drum



Item No	Capacity (Lt)	Dia(mm)	Height(mm)	Pcs/Ctn	CBM
7215/30	30.00	300	450	1	0.047
7215/40	40.00	300	600	1	0.068
7215/50	50.00	350	530	1	0.076
7215/60	60.00	350	700	1	0.105
7215/70	70.00	400	600	1	0.107
7215/90	90.00	400	800	1	0.143
7215/100	100.00	450	660	1	0.149
7215/130	130.00	450	900	1	0.215

Food Grade rubber Gasket, Rigid Grip, Air tight Locks

Honey Drum



Item No	Capacity (Lt)	Pcs/Ctn	CBM
7219/30	30	1	0.067
7219/50	50	1	0.085
7219/100	100	1	0.153
7219/200	200	1	0.319

*Heavy Duty Non - Drip Dispensing tap
Food Grade rubber Gasket, Rigid Grip, Air Tight Locks*

Tea / Coffee URN



Item No	Capacity (Lt)	Pcs/Ctn	CBM
7217/6	6.00	1	0.033
7217/8	8.00	1	0.040
7217/12	12.00	1	0.044
7217/16	16.00	1	0.053
7217/20	20.00	1	0.063
7217/25	25.00	1	0.075
7217/30	30.00	1	0.085
7217/35	35.00	1	0.096

Wide Open - Easy to Clean - PUF Insulation

Insulated Carrying Pot



Item No	Capacity (Lt)	Pcs/Ctn	CBM
9232/5	5.00	1	0.024
9232/10	10.00	1	0.035
9232/20	20.00	1	0.058
9232/30	30.00	1	0.078
9232/40	40.00	1	0.101
9232/50	50.00	1	0.120

PUF Insulation

Planters

Planter Our stainless steel planters are the ultimate choice in plant containers, perfect for use in homes, shopping malls, shop fronts, showrooms, restaurants, etc. Combining style with enduring strength and durability, our planters come in a variety of shapes and sizes. Plus, we also manufacture to-order and to your specifications. So, you can purchase planters in your desired sizes and designs, apart from the standard ones. Our collection of planters also includes table tops and vases





Classic Conica

Classic Crucible

Stainless Steel - Satin & Mirror



TOP DIA	HEIGHT	BOTTOM DIA
500	500	400
400	400	300




TOP DIA	HEIGHT	BOTT DIA
700	1500	500
500	800	350
400	800	300
400	600	300

Additional Sizes as per customers requirement

Conica


Stainless Steel - Satin & Mirror

Slant




TOP DIA	BOTTOM DIA	HEIGHT
400	300	800
400	300	600

Ellipse



Additional Sizes as per customers requirement

Stripe






TOP DIA	BOTTOM DIA	HEIGHT
400	300	800
400	300	600

Additional Sizes as per customers requirement



Conica - Square

Stainless Steel



Cubica

Additional sizes as per customers requirement



DIA	HEIGHT
300 mm	900 mm
300 mm	750 mm
300 mm	600 mm

Finishes : Polished / Mirror & Satin / Brushed



Stainless Steel



Aluminium



Diameter mm	Height mm
180	180
220	180
300	300
350	350
400	400
450	450
500	450
550	500
600	500
790	450
790	600



Additional Sizes as per customers requirement



Silverline...

Stainless Steel - Satin & Mirror Lines

Diameter mm	Height mm
180	180
220	180
300	300
350	350
400	400
450	450
500	450
550	500
600	500
790	450
790	600



Armour...

Diameter mm	Height mm
180	180
220	180
300	300
350	350
400	400
450	450
500	450
550	500
600	500
790	450
790	600



Golden Tulipa

Stainless Steel - Gold Plated

Diameter mm	Height mm
300	300
350	350
400	400
450	450
500	450
550	500
600	500
790	450
790	600



Goldline

Stainless Steel - Gold Plated

Diameter mm	Height mm
180	180
220	180
300	300
350	350
400	400
450	450
500	450
550	500
600	500
790	450
790	600



Rectangular



L W Ht
900 320 300
750 300 300
600 280 300



Shapes..

Stainless Steel
& Aluminium



L W Ht
400 400 400
500 500 500

Square



Tangle
300 x 600

Sizes as per customers requirement

Octagon





cuisinec
HOSPITALITY

**LEADERS IN
HoReCa Industry**



www.thecuisinec.com



+91 9025082783



[cuisinec_hospitality_](https://www.instagram.com/cuisinec_hospitality_)



[Cuisinec Hospitality](https://www.facebook.com/CuisinecHospitality)



sales@thecuisinec.com

enquiry@thecuisinec.com



**82, Grand Northern Trunk Rd,
Ponnammanmedu, Chennai- 600060,
Tamilnadu, India**

